

# Redefined





You are now the owner of a Coachman touring caravan; whether you are a new or experienced caravanner, we hope you will have many years of pleasure in joining the ever growing band of people who choose to spend their leisure time in a Coachman caravan.

In addition to this booklet, which covers the service, warranty and technical detail requirements of your caravan, you will also find in the pack of information provided the Coachman Caravan Company Limited Handbook, which together with special equipment leaflets, will provide you with the operational information you require to operate your caravan.

All Coachman models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice, specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions to gas, electrics and ventilation.

Additionally, we believe that comprehensive and efficient aftercare support is vital in today's market. To reflect this and the confidence we have in our products, every caravan produced by Coachman Caravan Company Limited comes complete with a three year manufacturer's warranty.

This warranty is conditional on annual servicing being carried out as detailed in the following pages. This warranty is designed to reaffirm our commitment to you.

Your supplying dealer is responsible for carrying out a thorough pre-delivery inspection on your caravan and also arranging for any warranty work or routine servicing which may be required. Authorised dealers will be able to supply any replacement parts for your caravan should the need arise along with any accessories you may require. Please note it is not possible to purchase or obtain replacement parts or accessories from Coachman Caravan Company Limited, they must be supplied by your dealer or approved servicing centre.

All new caravans must be registered with us by your supplying dealership within 6 weeks of purchase as new.

To activate your warranty, the registration form opposite must be completed and returned to Coachman Caravan Company Limited Aftercare Operations by your supplying dealership.

It should be noted that distributors and dealers are not the agents of Coachman Caravan Company Limited and therefore, are not authorised to bind the company by any specific or implied undertaking or representation.

#### **REPAIRS**

If you damage your caravan or it should require repairing for any reason, please contact your supplying dealer. These repairs must be carried out by an authorised dealer or approved servicing centre using Coachman genuine parts, recommended sealant and following Coachman procedures.

All Coachman caravans are classed as portable and therefore all warranty work requires the caravan to be delivered and collected from the supplying dealer or approved servicing centre. The cost of transporting, towing or moving the caravan to and from the place of repair is the responsibility of the owner.

#### **WARRANTY**

All Coachman caravans carry a **three year manufacturer's warranty**. This warranty applies to the UK and Northern Ireland.

During the first twelve months of ownership the Coachman manufacturer's warranty will cover faults arising from manufacturing defects but not those which are the results of normal wear and tear or accidental damage caused by misuse of any component part of the caravan. Exclusions also include tyres, fuses, LED lighting and bulbs, and proprietary products which are covered by the respective manufacturers' own guarantee and service arrangements.

In years two and three the warranty will cover all original components of the caravan including permanently fitted equipment forming part of the original manufacturer's specification plus water ingress and delamination.

The specific exclusions of the Coachman Caravan Company Ltd warranty during years two and three are bright work and all similar finishes, tables, hinges, knobs, window catches, stays and associated fittings, adjustments, bulbs, LED lighting and electrical connections, entertainments/communications system, microwaves, chrome work and mirrors.

Proprietary products which are covered by the respective manufacturers' own guarantee and service arrangements.

The caravan is not covered if: the manufacturer's identification (17 digit vehicle identification number) has been removed or defaced. The Coachman Three Year Manufacturer's Warranty also excludes the following:

- Failure due to reasons of fair wear and tear
- · Damage resulting from accidents
- Misuse of any component
- Replacement of parts which have reached the end of their effective working life because of age and/or usage
- · Cleaning or adjustment of any component
- · Caravans used for hire or reward
- Caravans used for other than recreational purposes, i.e. for living in or business purposes
- The cost of transporting the caravan, by whatever means, to the place of repair
- Any consequential cost or loss arising
- · Damage by mould
- · Damage by forces of nature
- Damage by vermin

All Coachman caravan warranties have a requirement that a full annual service is carried out by a competent service centre. This service must be carried out within 90 days either side of the anniversary of the date of the purchase for interim years before the anniversary date of the 3rd year, in accordance with the National Caravan Council's recommendations as detailed in the service section of the Service, Warranty and Technical Data Manual; failure to do so will invalidate your Coachman warranty.

Your service handbook must be stamped accordingly and the original VAT invoices and damp report must be retained as proof that the annual service has been carried out in accordance with the warranty terms and conditions.

The dealership from which you purchased your caravan is liable for warranty repairs. Any other approved dealer/workshop may carry out work on a caravan at his own convenience and discretion but is not obliged to.

#### **WATER INGRESS**

On every new Coachman caravan sold, we offer a comprehensive 6 year water ingress and delamination warranty:

 Water ingress between new and 6 years - Coachman Caravan Company Limited will pay the total labour costs and supply parts free of charge providing there is a full service history and the 6th service is completed before the anniversary date from the original date of purchase. This applies to water ingress through any permanently sealed joints. If you purchase a Coachman caravan as a used caravan, it is possible to transfer the unexpired term of the warranty and water ingress cover for up to six years from the original date of purchase. Please see rear of the **Service Warranty**, and **Technical Data Manual** change of ownership form. This warranty and offer is subject to the conditions, terms and exclusions. A small charge will be made for carrying out the transfer. This transfer must be completed within 28 days of change of ownership.

#### Additionally for 2015 onwards for the first owner, Coachman make a 10 year water ingress warranty:

 Water ingress between 6 and 10 years - Coachman will pay the total labour cost and supply parts free of charge provided there is a full service history and the 3rd, 6th and 10th service were carried out before the anniversary date on the final year of this offer. This applies to water ingress through any permanently sealed joints.

To preserve this offer your annual services in years 1- 6 have been carried out in line with the service scheduling detailed. In years 7, 8 and 9 are carried out within 90 days either side of the anniversary of the date of purchase.

#### **SERVICING**

Your caravan requires servicing once a year. Your dealer or approved servicing centre will carry out your annual servicing, and complete the service document at the rear of this handbook as proof of regular maintenance. As with motor vehicle service documents, not only will the proof of regular servicing enhance your caravan resale value but, in the unlikely event of any defect appearing at some later date, a properly serviced and documented caravan service history will enable your dealer to rapidly assess, and where appropriate, carry out the necessary remedial work.

Regular servicing is a requisite of both the Coachman Caravan Company Limited Warranty and the Coachman Caravan Company Limited Water Ingress warranty.

The annual service offered by your dealer will include checking and adjusting as necessary.

#### Section (A) Chassis

- 1. Brakes/lights
- 2. Suspension
- 3. Axles and hubs
- 4. Tyres and pressures
- 5. Wheel bolts
- 6. Towing hitch and overrun device
- 7. Jockev wheel
- 8. Breakaway cable
- 9. Corner steadies
- 10. Check wheel carrier and grease sliding joints
- 11. Lubrication
- 12. Operational

#### Section (B) Exterior

- 1. Exterior panels
- 2. Windows
- 3. Rooflights
- 4. Entrance door/door locks
- 5. Wheel boxes
- 6. Mouldings
- 7. Gas bottle and locker
- 8. Ventilation
- 9. Paintwork
- 10. All seals, mouldings etc
- 11. Reflectors
- 12. Graphics

#### Section (C) Interior

- 1. Wall panels
- 2. Furniture
- Curtains/blinds/ flyscreens
- 4. Bedding/seating
- 5. Carpet
- 6. Doors and drawers
- 7. All hinges and catches
- 8. Ventilation
- 9. Hoses and sink plugs
- 10. Hot water system
- 11. Cold water system
- 12. Window hinges and stavs
- 13. Cassette toilet
- 14. Shower
- 15. Shower trav
- 16. Central heating
- 17. Damp test

#### Section (D) Electrical

- All interior lights/ road lights
- Water pump and switches
- 3. Refrigerator
- 4. Distribution unit
- 5. Charging unit
- 6. Junction box
- 7. Wiring and supports8. Trailer connecting
- plugs
  9. Overall tests ext.
- lights
- 10. Awning light
- 11. Electronic ignition (hob)
- 12. 12V/230V System where applicable

#### Section (E) Gas Installation

- 1. Hob burners
- 2. Oven
- 3. Heater
- 4. Fridge
- 5. Water heating
- 6. Fully operational
- 7. Leak tested

#### Section (F) Final

1. Road test

# CARAVAN MODEL..... VEHICLE IDENTIFICATION NUMBER....

#### **1ST SERVICE**

To be completed between weeks 39 & 65 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **4TH SERVICE**

To be completed between weeks 195 & 221 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### 2ND SERVICE

To be completed between weeks 91 & 117 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **5TH SERVICE**

To be completed between weeks 248 & 272 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **3RD SERVICE**

To be completed between weeks 143 & 156 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **6TH SERVICE**

To be completed by week 312 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **7TH SERVICE**

To be completed between weeks 352 & 376 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **10TH SERVICE**

To be completed by week 520 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **13TH SERVICE**

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### **8TH SERVICE**

To be completed between weeks 404 & 428 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### 11TH SERVICE

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### 14TH SERVICE

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### 9TH SERVICE

To be completed between weeks 456 & 480 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

#### 12TH SERVICE

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.


#### 15TH SERVICE

Date:


Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.


#### 2020 COACHMAN ACADIA CIRCUIT DIAGRAM




#### 2020 COACHMAN VIP / LASER & LASER XL CIRCUIT DIAGRAM



#### 2020 ACADIA - ROAD LIGHT WARNING DIAGRAM



#### 2020 VIP / LASER & LASER XL - ROAD LIGHT WIRING DIAGRAM



#### MANUFACTURER ADMINISTRATING WARRANTY WITH DEALERS

Appliance/ Component	Address of company providing warranty	Warranty Term	Contact number
Chassis, axle & under gear hitch, traction control and wheel lock (where fitted)	AL-KO, South Warwickshire Business Park, Kineton Road, Southam, Warwickshire CV47 0AL	36 months	01926 818500
Entertainment system	Base Systems Limited, B19 Ribble Court, Red Scar Business Park, Preston, PR2 5NJ	12 months	01772 886000
Alarm (where fitted)	Phantum Ltd, 154-156 Higher Hillgate, Stockport, Greater Manchester, SK1 3QT	24 months	0161 476 4050
Polyplastic windows	Miriad Products Limited, Park Lane, Dove Valley Business Park, Foston, South Derbyshire DE65 5BG	Optical 3 months Technical 24 months	01283 586060
Power centre/ chargers/ loom/ relays/ consumer unit control panels	BCA Leisure Limited, Unit H9 Premier Way, Lowfields Business Park, Elland HX5 9HF	36 months	01422 376977
Refrigerator	Dometic UK Limited, Dometic House, The Brewery, Blandford Dorset, DT11 9LS	36 months	0344 626 0133
Toilet, cooker and hob	Thetford Limited, Unit 6 Brookfields Way, Wath Upon Dearne, Rotherham S63 5DL	36 months	0844 997 1960
Soft furnishings	Belfield Furnishings Limited, Site 3, Furnace Road, Ilkeston DE7 5EP	36 months Fabric light fastness 12 months	0115 907 1700
Heating systems	Alde International (UK) Limited, Huxley Close, Park Farm South, Wellingborough NN8 6AB	36 months	01933 677765
Water systems	Whale, 2 Enterprise Road, Bangor, Co. Down, Northern Ireland BT19 7TA	36 months	028 9127 0531
Gas components	Whale, 2 Enterprise Road, Bangor, Co. Down, Northern Ireland BT19 7TA	36 months	028 9127 0531
Phantom Tracker (where fitted)	Phantom Ltd, 154 - 156 Higher Hillgate, Stockport, Greater Manchester, SK1 3QT	12 months	0161 476 4050
Smoke alarm	Find and Version Code Si William Long Book County OV 757	36 months	0000 4 44 0504
Carbon monoxide alarm	FireAngel, Vanguard Centre, Sir William Lyons Road, Coventry CV4 7EZ	84 months	0800 141 2561
Solar panel and regulator (where fitted)	Solar Technology International Limited, Unit 6 Station Drive, Bredon, Tewsbury, Gloucestershire GL20 7HH	*See below	01684 774000
Self levelling system (where fitted)	E + P Hydraulics, 10 Elder Court, Lions Dr, Blackburn BB1 2EQ	24 months	01254 297785

<sup>\*</sup>Charge controller and cable gland 24 months | \*Frame integrity 120 months | \*Build quality and cell performance 240 months (assumes a rate of degradation of no greater than 20% by year 20)

#### **TECHNICAL DATA**

The technical data information has been prepared to provide you with the dimensions, weights and sizes applicable to your caravan. It is recommended that you study the weight, size and tyre pressure information contained in this booklet to familiarise yourself with the specification of your caravan. For equipment operational information you should refer to the Coachman 2020 Handbook and the additional leaflets contained in your Owners' Information Pack.

All Coachman models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice, specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions to gas, electrics and ventilation.

Every Coachman caravan carries the "NCC Approved Caravan" badge. The NCC also conducts unannounced inspections at the Coachman factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

MODEL	460	470	520
Number of Berths	2	2	3
Interior Length	4625mm / 15' 2"	4700mm / 15' 5"	5295mm / 17' 4"
Shipping Length	6255mm / 20' 6"	6330mm / 20' 9"	6925mm / 22' 9"
Overall Width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall Height (including T.V Aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Size	185 R14 104	185 R14 104	185 R14 104
Tyre Pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65
Bed Sizes - mm - option 1	2 x Single 1840 x 700 (6' 0" x 2' 3")	1 x Single 1865 x 760 (6' 1" x 2' 6")	2 x Single 1840 x 700 (6' 0" x 2' 3")
		1 x single 1780 x 770 (5' 10" x 2' 6")	1 x Single 1830 x 720 (6' 0" x 2' 4")
Bed Sizes - mm - option 2	1 x Double 2010 x 1725 (6' 7" x 5' 7")	1 x Double 1865 x 1300 (6' 1" x 4' 3")	1 x Double 2010 x 1725 (6' 7" x 5' 7") 1 x Single 1830 x 720 (6' 0" x 2' 4")
MTPLM	1355kg / 26.7cwt	1343kg / 26.4cwt	1455kg / 28.6cwt
Mass in Running Order	1231kg / 24.2cwt	1218kg / 24cwt	1314kg / 25.8cwt
Personal Payload	124kg / 2.4cwt	125kg / 2.5cwt	141kg /2.8cwt
Options Payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / Maximum User Payload	124kg / 2.4cwt	125kg / 2.5cwt	141kg / 2.8cwt
Maximum Hitch Weight	100kg / 1.9 cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1400kg	1400kg	1500kg

MODEL	545	565	575
Number of Berths	4	4	4
Interior Length	5760mm / 18' 11"	5710mm / 18' 9"	5760mm / 18' 11"
Shipping Length	7390mm / 24' 3"	7340mm / 24' 1"	7390mm / 24' 3"
Overall Width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)			
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Size	195/70 R15 104	195/70 R15 104	185 R14 104
Tyre Pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single
	1465 x 700 ( 4' 9" x 2' 3")	1465 x 700 (4' 9" x 2' 3")	1465 x 700 (4' 9" x 2' 3")
	1 x Double 1810 x 1370 ( 5' 11" x 4' 6 " )	2 x Single 1910 x 720 ( 6' 3" x 2' 4" ) 1825 x 720 ( 6' 0" x 2' 4" )	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
Bed Sizes - mm - option 2	1 x Double 2010 x 1350 (6' 7" x 4' 5") 1 x Double 1810 x 1370 (5' 11" x 4' 6")	1 x Double 2010 x 1350 (6' 7" x 4' 5") 2 x Single 1910 x 720 (6' 3" x 2' 4") 1825 x 720 (6' 0" x 2' 4")	1 x Double 2010 x 1350 (6' 7" x 4' 5") 1 x Double 1875 x 1370 (6' 2" x 4' 6")
MTPLM	1597kg / 31.4cwt	1581kg / 31.1cwt	1534kg / 30.2cwt
Mass in Running Order	1442kg / 28.4cwt	1426kg / 28.1cwt	1379kg / 27.1cwt
Personal Payload	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt
Options Payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / Maximum User Payload	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1600kg	1600kg	1550kg

MODEL	580	630	675
Number of Berths	5	5	4
Interior Length	5710mm / 18' 9"	6265mm / 20' 7"	6265mm / 20' 7"
Shipping Length	7340mm / 24' 1"	7895mm / 25' 11"	7895mm / 25' 11"
Overall Width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)			
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Size	195/70 R15 104	185/70 R14 88	185/70 R14 88
Tyre Pressure	4.5 / 35	2.4/ 35	2.4 / 35
(bar / psi at quoted MTPLM)			
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single
	1660 x 700 (5' 5" x 2' 3")	1660 x 700 (5' 5" x 2' 3")	1465 x 700 (4' 9" x 2' 3")
	1 x Single 1830 x 720 ( 6' 0" x 2' 4" ) 2 x Single bunks 1740 x 620 ( 5' 9" x 2' 0" )	1 x Single 1830 x 880 ( 6' 0" x 2' 10" ) 2 x Single bunks 1870 x 620 ( 6' 1" x 2' 0" )	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
Bed Sizes - mm - option 2	1 x Double 2010 x 1545 (6' 7" x 5' 0") 1 x Single 1830 x 720 (6' 0" x 2' 4") 2 x Single bunks 1740 x 620 (5' 9" x 2' 0")	1 x Double 2010 x 1545 (6' 7" x 5' 0") 1 x Single 1830 x 880 (6' 0" x 2' 10") 2 x Single bunks 1870 x 620 (6' 1" x 2' 0")	1 x Double 2010 x 1350 ( 6' 7" x 4' 5" ) 1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
MTPLM Mass in Running Order Personal Payload Options Payload Total / Maximum User Payload	1594kg / 31.4cwt 1429kg / 28.1cwt 165kg / 3.2cwt 0kg / 0cwt 165kg / 3.2cwt	1725kg / 34cwt 1555kg / 30.6cwt 170kg / 3.3cwt 0kg / 0cwt 170kg / 3.3cwt	1715kg / 33.8cwt 1555kg / 30.6cwt 160kg / 3.1cwt 0kg / 0cwt 160kg / 3.1cwt
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1600kg	1800kg	1800kg

MODEL	860	
Number of Berths	5	
Interior Length	6265mm / 20' 7"	
Shipping Length	7895mm / 25' 11"	
Overall Width	2440mm / 8' 0"	
Overall Height	2650mm / 8' 8"	
(including T.V Aerial)		
Maximum Headroom	1955mm / 6' 5"	
Wheel Rim	5.5J x 14	
Tyre Size	185/70 R14 88	
Tyre Pressure	2.4 / 35	
(bar / psi at quoted MTPLM)		
Bed Sizes - mm - option 1	1 x Double	
	1985 x 1300 (6' 6" x 4' 3")	
	1 x Double	
	1900 x 1320 ( 6' 2" x 4' 3" )	
	1 x Single	
	1870 x 1030 ( 6' 1" x 3' 4" )	
Bed Sizes - mm - option 2		
Bed Sizes - IIIII - Option 2		
MTPLM	1820kg / 35.8cwt	
Mass in Running Order	1650kg / 32.5cwt	
Personal Payload	170kg / 3.3cwt	
Options Payload	Okg / Ocwt	
Total / Maximum User Payload	170kg / 3.3cwt	
Maximum Hitch Weight	100kg / 1.9cwt	
Upper MTPLM	2000kg	
(Optional weight plate upgrade)	2000kg	
(-pai troigitt plate apgrade)		

MODEL	460	470	520
Number of Berths	2	2	3
Interior Length	4625mm / 15' 2"	4700mm / 15' 5"	5295mm / 17' 4"
Shipping Length	6255mm / 20' 6"	6330 mm / 20 ' 9"	6925mm / 22' 9"
Overall Width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)			
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Size	185 R14 104	185 R14 104	185 R14 104
Tyre Pressure	4.5 / 65	4.5 / 65	4.5 / 65
(bar / psi at quoted MTPLM)			
Bed Sizes - mm - option 1	2 x Single	1 x Single	2 x Single
	1840 x 700 ( 6' 0" x 2' 3" )	1865 x 760 ( 6' 1" x 2' 6" )	1840 x 700 ( 6' 0" x 2' 3")
		1 x Single 1780 x 770 ( 5' 10" x 2' 6" )	1 x Single 1830 x 720 ( 6' 0" x 2' 4" )
Bed Sizes - mm - option 2	1 x Double 2010 x 1725 ( 6' 7" x 5' 7" )	1 x Double 1865 x 1300 (6' 1" x 4' 3")	1 x Double 2010 x 1725 (6' 7" x 5' 7") 1 x Single 1830 x 720 (6' 0" x 2' 4")
MTPLM Mass in Running Order	1367kg / 26.9cwt 1243kg / 24.5cwt	1356kg / 26.7cwt 1231kg / 24.2cwt	1467kg / 28.9cwt 1326kg / 26.1cwt
Personal Payload	124kg / 2.4cwt	125kg / 2.5cwt	141kg / 2.8cwt
Options Payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / Maximum User Payload	124kg / 2.4cwt	125kg / 2.5cwt	141kg / 2.8cwt
Maximum Hitch Weight	100kg / 1.9 cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1400kg	1400kg	1500kg

MODEL	545	565	575
Number of Berths	4	4	4
Interior Length	5760mm / 18' 11"	5710mm / 18' 9"	5760mm / 18' 11"
Shipping Length	7390mm / 24' 3"	7340mm / 24' 1"	7390mm / 24' 3"
Overall Width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)	2000111117 0 0	2000111117 0 0	2000111117 0 0
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Size	195/70 R15 104	195/70 R15 104	185 R14 104
Tyre Pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single
	1465 x 700 ( 4' 9" x 2' 3")	1465 x 700 (4' 9" x 2' 3")	1465 x 700 (4' 9" x 2' 3")
	1 x Double 1810 x 1370 ( 5' 11" x 4' 6 " )	2 x Single 1910 x 720 ( 6' 3" x 2' 4" ) 1825 x 720 ( 6' 0" x 2' 4" )	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
Bed Sizes - mm - option 2	1 x Double 2010 x 1350 (6' 7" x 4' 5") 1 x Double 1810 x 1370 (5' 11" x 4' 6")	1 x Double 2010 x 1350 (6' 7" x 4' 5") 2 x Single 1910 x 720 (6' 3" x 2' 4") 1825 x 720 (6' 0" x 2' 4")	1 x Double 2010 x 1350 ( 6' 7" x 4' 5" ) 1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
MTPLM Mass in Running Order Personal Payload	1600kg / 31.5cwt 1445kg / 28.4cwt 155kg / 3.1cwt	1593kg / 31.4cwt 1438kg / 28.3cwt 155kg / 3.1cwt	1548kg / 30.5cwt 1393kg / 27.4cwt 155kg / 3.1cwt
Options Payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / Maximum User Payload	155kg / 3.1cwt	155kg / 3.1cwt	155kg / 3.1cwt
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1600kg	1600kg	1550kg

MODEL	580	630	675		
Number of Berths	5	5	4		
Interior Length	5710mm / 18' 9"	6265mm / 20' 7"	6265mm / 20' 7"		
Shipping Length	7340mm / 24' 1"	7895mm / 25' 11"	7895mm / 25' 11"		
Overall Width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"		
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"		
(including T.V Aerial)					
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"		
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14		
Tyre Size	195/70 R15 104	185/70 R14 88	185/70 R14 88		
Tyre Pressure (bar / psi at quoted MTPLM)	4.5 / 35	2.4/ 35	2.4 / 35		
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single		
.,	1660 x 700 (5' 5" x 2' 3")	1660 x 700 (5' 5" x 2' 3")	1465 x 700 (4' 9" x 2' 3")		
	1 x Single 1830 x 720 ( 6' 0" x 2' 4" ) 2 x Single bunks 1740 x 620 ( 5' 9" x 2' 0" )	1 x Single 1830 x 880 ( 6' 0" x 2' 10" ) 2 x Single bunks 1870 x 620 ( 6' 1" x 2' 0" )	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )		
Bed Sizes - mm - option 2	1 x Double 2010 x 1545 (6' 7" x 5' 0" )	1 x Double 2010 x 1545 ( 6' 7" x 5' 0" ) 1 x Single 1830 x 880 ( 6' 0" x 2' 10" ) 2 x Single bunks 1870 x 620 ( 6' 1" x 2' 0" )	1 x Double 2010 x 1350 ( 6' 7" x 4' 5" ) 1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )		
MTPLM Mass in Running Order Personal Payload Options Payload Total / Maximum User Payload	1600kg / 31.5cwt 1435kg / 28.2cwt 165kg / 3.2cwt 0kg / 0cwt 165kg / 3.2cwt	1738kg / 34.2cwt 1568kg / 30.9cwt 170kg / 3.3cwt 0kg / 0cwt 170kg / 3.3cwt	1728kg / 34cwt 1568kg / 30.9cwt 160kg / 3.1cwt 0kg / 0cwt 160kg / 3.1cwt		
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt		
Upper MTPLM (Optional weight plate upgrade)	1600kg	1800kg	1800kg		

MODEL	860	
Number of Berths	5	
Interior Length	6265mm / 20' 7"	
Shipping Length	7895mm / 25' 11"	
Overall Width	2440mm / 8' 0"	
Overall Height	2650mm / 8' 8"	
(including T.V Aerial)		
Maximum Headroom	1955mm / 6' 5"	
Wheel Rim	5.5J x 14	
Tyre Size	185/70 R14 88	
Tyre Pressure	2.4 / 35	
(bar / psi at quoted MTPLM)		
Bed Sizes - mm - option 1	1 x Double	
	1985 x 1300 (6' 6" x 4' 3")	
	1 x Double	
	1900 x 1320 ( 6' 2" x 4' 3" )	
	1 x Single	
	1870 x 1030 ( 6' 1" x 3' 4" )	
Bed Sizes - mm - option 2		
-		
	10001 /001	
MTPLM	1833kg / 36.1cwt	
Mass in Running Order	1663kg / 32.7cwt	
Personal Payload	170kg / 3.3cwt	
Options Payload	0kg / 0cwt	
Total / Maximum User Payload	170kg / 3.3cwt	
Maximum Hitch Weight	100kg / 1.9cwt	
Upper MTPLM	2000kg	
(Optional weight plate upgrade)		

MODEL	460	520	545
Number of Berths	2	3	4
Interior Length	4750mm / 15' 7"	5420mm / 17' 9"	5800mm / 19' 0"
Shipping Length	6380mm / 20' 11"	7050mm / 23' 2"	7430mm / 24' 5"
Overall Width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)			
Overall Height	2750mm / 9' 0"	2750mm / 9' 0"	2750mm / 9' 0"
(including Air Conditioner)	1055 (0)5"	1055 (015)	4055 (015)
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	6.0J x 15
Tyre Size	185 R14 104	185 R14 104	195/70 R15 104
Tyre Pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single
	1845 x 725 ( 6' 0" x 2' 4")	1845 x 725 (6' 0" x 2' 4")	1505 x 725 (5' 0" x 2' 4")
		1 x Single 1830 x 720 ( 6' 0" x 2' 4" )	1 x Double 1920 x 1370 ( 6' 3" x 4' 6" )
Bed Sizes - mm - option 2	1 x Double 2075 x 1720 (6' 9" x 5' 8")	1 x Double 2075 x 1720 ( 6' 9" x 5' 8" ) 1 x Single 1830 x 720 ( 6' 0" x 2' 4" )	1 x Double 2075 x 1390 ( 6' 9" x 4' 7" ) 1 x Double 1920 x 1370 ( 6' 3" x 4' 6" )
MTPLM	1425kg / 28.1cwt	1525kg / 30cwt	1643kg / 32.3cwt
Mass in Running Order	1300kg / 25.6cwt	1383kg / 27.2cwt	1487kg / 29.3cwt
Personal Payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt
Options Payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / Maximum User Payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1500kg	1550kg	1700kg

MODEL	565	575	
Number of Berths	4	4	
Interior Length	5740mm / 18' 10"	5800mm / 19' 0"	
Shipping Length	7370mm / 24' 2"	7430mm / 24' 5"	
Overall Width	2310mm / 7' 7"	2310mm / 7' 7"	
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	
(including T.V Aerial)			
Overall Height	2750mm / 9' 0"	2750mm / 9' 0"	
(including Air Conditioner)	4055 / 01511	1055 / 015#	
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	
Wheel Rim	6.0J x 15 195 R15 104	56.0J x 15	
Tyre Size		195 R15 104	
Tyre Pressure	4.5 / 65	4.5 / 65	
(bar / psi at quoted MTPLM)			
Bed Sizes - mm - option 1	2 x Single	2 x Single	
	1505 x 725 ( 5' 0" x 2' 4" )	1505 x 725 ( 5' 0" x 2' 4" )	
	1 x Single	1 x Double	
	1910 x 720 ( 6' 3" x 2' 4" )	1875 x 1370 ( 6' 2" x 4' 6")	
	1 x Single		
	1825 x 720 ( 6' 0" x 2' 4")		
Bed Sizes - mm - option 2	1 x Double	1 x Double	
	2075 x 1390 ( 6' 9" x 4' 7" )	2075 x 1390 ( 6'9" x 4' 7" )	
	1 x Single	1 x Double	
	1910 x 720 ( 6' 3" x 2' 4" )	1875 x 1370 (6' 2" x 4' 6")	
	1x Single		
	1825 x 720 (6' 0" x 2' 4")		
MTPLM	1634kg / 32.2cwt	1630kg / 32.1cwt	
Mass in Running Order	1479kg / 29.1cwt	1474kg / 29cwt	
Personal Payload	155kg / 3.1cwt	156kg / 3.1cwt	
Options Payload	0kg / 0cwt	0kg / 0cwt	
Total / Maximum User Payload	155kg / 3.1cwt	156kg / 3.1cwt	
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	
Upper MTPLM (Optional weight plate upgrade)	1700kg	1700kg	

MODEL	460	520	545
Number of Berths	2	3	4
	_	_	·
Interior Length	4750mm / 15' 7" 6380mm / 20' 11"	5420mm / 17' 9" 7050mm / 23' 2"	5800mm / 19' 0"
Shipping Length Overall Width	2310mm / 7' 7"	2310mm / 7' 7"	7430mm / 24' 5" 2310mm / 7' 7"
Overall Height	2310mm / 7 / 2650mm / 8' 8"	2310mm / 7 / 2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)	200011111/8/8	2030[1][1] / 6 6	2000111111/6/6
Overall Height	2750mm / 9' 0"	2750mm / 9' 0"	2750mm / 9' 0"
(including Air Conditioner)	2730111117 9 0	2730111117 9 0	2730111117 3 0
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	6.0J x 15
Tyre Size	185 R14 104	185 R14 104	195/70 R15 104
Tyre Pressure	4.5 / 65	4.5 / 65	4.5 / 65
(bar / psi at quoted MTPLM)	1.07 00	1.57 55	1.57 55
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single
.,	1845 x 725 ( 6' 0" x 2' 4")	1845 x 725 (6' 0" x 2' 4")	1505 x 725 (5' 0" x 2' 4")
		1 x Single 1830 x 720 ( 6' 0" x 2' 4" )	1 x Double 1920 x 1370 ( 6' 3" x 4' 6" )
Bed Sizes - mm - option 2	1 x Double 2075 x 1720 (6' 9" x 5' 8")	1 x Double 2075 x 1720 ( 6' 9" x 5' 8" ) 1 x Single 1830 x 720 ( 6' 0" x 2' 4" )	1 x Double 2075 x 1390 ( 6' 9" x 4' 7" ) 1 x Double 1920 x 1370 ( 6' 3" x 4' 6" )
MTPLM	1440kg / 28.3cwt	1542kg / 30.4cwt	1658kg / 32.6cwt
Mass in Running Order	1315kg / 25.9cwt	1400kg / 27.6cwt	1502kg / 29.6cwt
Personal Payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt
Options Payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / Maximum User Payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1500kg	1550kg	1700kg

MODEL	565	575	
Number of Berths	4	4	
Interior Length	5740mm / 18' 10"	5800mm / 19' 0"	
Shipping Length	7370mm / 24' 2"	7430mm / 24' 5"	
Overall Width	2310mm / 7' 7"	2310mm / 7' 7"	
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	
(including T.V Aerial)		/	
Overall Height	2750mm / 9' 0"	2750mm / 9' 0"	
(including Air Conditioner)	1055 / 0158	1055 / 0158	
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	
Wheel Rim	6.0J x 15	6.0J x 15	
Tyre Size	195/70 R15 104	195/70 R15 104	
Tyre Pressure	4.5 / 65	4.5 / 65	
(bar / psi at quoted MTPLM)			
Bed Sizes - mm - option 1	2 x Single	2 x Single	
	1505 x 725 ( 5' 0" x 2' 4" )	1505 x 725 ( 5' 0" x 2' 4" )	
	1 x Single	1 x Double	
	1910 x 720 (6' 3" x 2' 4")	1875 x 1370 ( 6' 2" x 4' 6")	
	1 x Single		
	1825 x 720 ( 6' 0" x 4' 6")		
Bed Sizes - mm - option 2	1 x Double	1 x Double	
	2075 x 1390 ( 6' 9" x 4' 7" )	2075 x 1390 ( 6'9" x 4' 7" )	
	1 x Single	1 x Double	
	1910 x 720 ( 6' 3" x 2' 4" )	1875 x 1370 (6' 2" x 4' 6")	
	1x Single	, , , ,	
	1825 x 720 (6' 0" x 2' 4")		
MTPLM	1649kg / 32.5cwt	1645kg / 32.4cwt	
Mass in Running Order	1494kg / 29.4cwt	1489kg / 29.3cwt	
Personal Payload	155kg / 3.1cwt	156kg / 3.1cwt	
Options Payload	0kg / 0cwt	0kg / 0cwt	
Total / Maximum User Payload	155kg / 3.1cwt	156kg / 3.1cwt	
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	
Upper MTPLM	1700kg	1700kg	
(Optional weight plate upgrade)			

MODEL	650	665	675
Number of Berths	4	4	4
Interior Length	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"
Shipping Length	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"
Overall Width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)	2000111117 0 0	2000111117 0 0	2000111117 0 0
Overall Height	2750mm / 9' 0"	2750mm / 9' 0"	2750mm / 9' 0"
(including Air Conditioner)			
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Size	185/70 R14 88	185/70 R14 88	185/70 R14 88
Tyre Pressure	2.4 / 35	2.4 / 35	2.4 / 35
(bar / psi at quoted MTPLM)			
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single
	1505 x 725 (5' 0" x 2' 4")	1505 x 725 ( 5' 0" x 2' 4")	1505 x 725 ( 5' 0" x 2' 4")
	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )	2 x Single 1910 x 800 ( 6' 3" x 2' 7" )	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
Bed Sizes - mm - option 2	1 x Double 2075 x 1390 (6' 9" x 4' 7" ) 1 x Double 1875 x 1370 (6' 2" x 4' 6" )	1 x Double 2075 x 1390 (6' 9" x 4' 7") 2 x Single 1910 x 800 (6' 3" x 2' 7")	1 x Double 2075 x 1390 (6' 9" x 4' 7" ) 1 x Double 1875 x 1370 (6' 2" x 4' 6" )
MTPLM Mass in Running Order Personal Payload Options Payload Total / Maximum User Payload	1829kg / 36cwt 1669kg / 32.9cwt 160kg / 3.1cwt 0kg / 0cwt 160kg / 3.1cwt	1838kg / 36.2cwt 1678kg / 33cwt 160kg / 3.1cwt 0kg / 0cwt 160kg / 3.1cwt	1816kg / 35.7cwt 1656kg / 32.6cwt 160kg / 3.1cwt 0kg / 0cwt 160kg / 3.1cwt
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
	· ·	Į	
Upper MTPLM (Optional weight plate upgrade)	1900kg	1900kg	1900kg

# LASER XL STANDARD SPECIFICATIONS (BASED ON THE MODELS BELOW)

MODEL	850	875	
Number of Berths	4	4	
Interior Length	6265mm / 20' 7"	6265mm / 20' 7"	
Shipping Length	7895mm / 25' 11"	7895mm / 25' 11"	
Overall Width	2440mm / 8' 0"	2440mm / 8' 0"	
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	
(including T.V Aerial)	0750 (010)	0750 (010)	
Overall Height	2750mm / 9' 0"	2750mm / 9' 0"	
(including Air Conditioner)  Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	
Wheel Rim	5.5J x 14	5.5J x 14	
	185/70 R14 88	185/70 R14 88	
Tyre Size Tyre Pressure	2.4 / 35	2.4 / 35	
(bar / psi at quoted MTPLM)	2.4 / 33	2.4 / 33	
Bed Sizes - mm - option 1	2 x Single	2 x Single	
	1505 x 725 ( 5' 0" x 2' 4" )	1505 x 725 (5' 0" x 2' 4" )	
	1 x Double	1x Double	
	1875 x 1370 (6' 2" x 4' 6")	1875 x 1370 ( 6' 2" x 4' 6" )	
Bed Sizes - mm - option 2	1 x Double	1 x Double	
Bed Sizes - IIIIII - Option 2	2200 x 1390 ( 7' 2" x 4' 7" )	2200 x 1390 ( 7' 2" x 4' 7" )	
	1 x Double	1 x Double	
	1875 x 1370 ( 6' 2" x 4' 6" )	1875 x 1370 ( 6' 2" x 4' 6" )	
MTPLM	1927kg / 37.9cwt	1885kg /37.1cwt	
Mass in Running Order	1767kg / 34.8cwt	1725kg / 34cwt	
Personal Payload	160kg / 3.1cwt	160kg / 3.1cwt	
Options Payload	0kg / 0cwt	0kg / 0cwt	
Total / Maximum User Payload	160kg / 3.1cwt	160kg / 3.1cwt	
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	
Upper MTPLM (Optional weight plate upgrade)	2000kg	2000kg	

MODEL	650	665	675
Number of Berths	4	4	4
Interior Length	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"
Shipping Length	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"
Overall Width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
(including T.V Aerial)			
Overall Height	2750mm / 9' 0"	2750mm / 9' 0"	2750mm / 9' 0"
(including Air Conditioner)			
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel Rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre Size	185/70 R14 88	185/70 R14 88	185/70 R14 88
Tyre Pressure (bar / psi at quoted MTPLM)	2.4 / 35	2.4 / 35	2.4 / 35
Bed Sizes - mm - option 1	2 x Single	2 x Single	2 x Single
	1505 x 725 (5' 0" x 2' 4")	1505 x 725 ( 5' 0" x 2' 4")	1505 x 725 (5' 0" x 2' 4")
	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )	2 x Single 1910 x 800 ( 6' 3" x 2' 7" )	1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
Bed Sizes - mm - option 2	1 x Double 2075 x 1390 (6' 9" x 4' 7") 1 x Double 1875 x 1370 (6' 2" x 4' 6")	1 x Double 2075 x 1390 ( 6' 9" x 4' 7") 2 x Single 1910 x 800 ( 6' 3" x 2' 7" )	1 x Double 2075 x 1390 ( 6' 9" x 4' 7") 1 x Double 1875 x 1370 ( 6' 2" x 4' 6" )
MTPLM Mass in Running Order Personal Payload Options Payload	1844kg / 36.3cwt 1684kg / 33.1cwt 160kg / 3.1cwt 0kg / 0cwt	1853kg / 36.5cwt 1693kg / 33.3cwt 160kg / 3.1cwt 0kg / 0cwt	1831kg / 36cwt 1671kg / 32.9cwt 160kg / 3.1cwt 0kg / 0cwt
Total / Maximum User Payload	160kg / 3.1cwt	160kg / 3.1cwt	160kg / 3.1cwt
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Upper MTPLM (Optional weight plate upgrade)	1900kg	1900kg	1900kg

MODEL	850	875	
Number of Berths	4	4	
Interior Length	6265mm / 20' 7"	6265mm / 20' 7"	
Shipping Length	7895mm / 25' 11"	7895mm / 25' 11"	
Overall Width	2440mm / 8' 0"	2440mm / 8' 0"	
Overall Height	2650mm / 8' 8"	2650mm / 8' 8"	
(including T.V Aerial)	0750 / 01 02	0750 / 01 02	
Overall Height (including Air Conditioner)	2750mm / 9' 0"	2750mm / 9' 0"	
Maximum Headroom	1955mm / 6' 5"	1955mm / 6' 5"	
Wheel Rim	5.5J x 14	5.5J x 14	
Tyre Size	185/70 R14 88	185/70 R14 88	
Tyre Pressure	2.4 / 35	2.4 / 35	
(bar / psi at quoted MTPLM)			
Bed Sizes - mm - option 1	2 x Single	2 x Single	
	1505 x 725 ( 5' 0" x 2' 4" )	1505 x 725 ( 5' 0" x 2' 4" )	
	1 x Double	1x Double	
	1875 x 1370 (6' 2" x 4' 6")	1875 x 1370 ( 6' 2" x 4' 6" )	
Bed Sizes - mm - option 2	1 x Double	1 x Double	
·	2200 x 1390 ( 7' 2" x 4' 7" )	2200 x 1390 (7' 2" x 4' 7")	
	1 x Double	1 x Double	
	1875 x 1370 (6' 2" x 4' 6")	1875 x 1370 ( 6' 2" x 4' 6" )	
MTPLM	1942kg / 38.2cwt	1899kg /37.4cwt	
Mass in Running Order	1782kg / 35.1cwt	1739kg / 34.2cwt	
Personal Payload	160kg / 3.1cwt	160kg / 3.1cwt	
Options Payload	0kg / 0cwt	0kg / 0cwt	
Total / Maximum User Payload	160kg / 3.1cwt	160kg / 3.1cwt	
Maximum Hitch Weight	100kg / 1.9cwt	100kg / 1.9cwt	
Upper MTPLM (Optional weight plate upgrade)	2000kg	2000kg	

All LED lights are irreplaceable - unit needs to be replaced.

### **EXTERNAL ROAD LIGHTS**

LIGHT	BULB
Number plate light	12V 5W clear festoon bulb
COBO oval combination lamp - fog/ reverse - Acadia only	2 x 12V 21W clear bulb (bayonet), (P21W)
COBO oval combination lamp - stop/ tail/ indicator-	1 x 12V 21W clear bulb (bayonet),(P21W)
Acadia only	1 x 12V 21/5W clear double filament bulb (bayonet) P21W/5W
	1 x 12V tail lamp / brake light (P21/5W) twin filament
Carelina V. I. // Lycey cluster light V/D and Locay only	1 x 12V indicator light (PY21W)
Caraluna X L/H rear cluster light - VIP and Laser only	1 x 12V reversing light (P21W)
	1 x 12V rear fog light (H21W)
	1 x 12V tail lamp / brake light (P21/5W) twin filament
Cavaluna V D/I I year already light V/D and I gave anhy	1 x 12V indicator light (PY21W)
Caraluna X R/H rear cluster light - VIP and Laser only	1 x 12V reversing light (P21W)
	1 x 12V rear fog light (H21W)
Red and white end outline LED marker light – Acadia only	1 x 12V 5W clear bulb (bayonet)

# CHANGE OF OWNERSHIP NOTIFICATION OF CHANGE OF OWNERSHIP

If you buy this caravan as a used unit, please notify the change of ownership by completing this page, detaching it and sending it together with a cheque for  $\mathfrak{L}50$  to:

Coachman Caravan Company Limited Aftercare Operations, Amsterdam Road Sutton Fields Industrial Estate, Hull East Yorkshire HU7 0XF

	Model:ation No:	
PREVIOUS OWNER	Name:Address:	
NEW OWNER	Name:Address:	
	Telephone Day: Evening:	
Postcode:		
As the new owner of a Coachman Caravan we would like to send you occasional marketing information on our products, services and events. If you would like to receive this information, please tick the appropriate boxes below Note: This is for the new owner, not the current owner.  I would like Coachman Caravans to send me marketing information via:  Phone  Email  Text  Post		

Please note that the benefit of any unexpired warranty cannot be transferred to the new owner until change of ownership details above together with a cheque for £50 have been received. All personal details submitted in the form above will be kept private and confidential. You can read our full privacy policy on our website, www.coachman.co.uk/privacy-policy.































































#### **COACHMAN CARAVAN COMPANY LTD**

Amsterdam Road Sutton Fields Industrial Estate Hull HU7 OXF Email: info@coachman.co.uk

www.coachman.co.uk

Coachman Caravan Company Limited reserves the right to, and does from time to time alter technical specifications, prices and model ranges as materials, model improvements and conditions demand. Therefore can accept no responsibility for discrepancies between these and subsequent models.

All Coachman models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice, specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions to gas, electrics and ventilation.

Every Coachman caravan carries the "NCC Approved Caravan" badge. The NCC also conducts unannounced inspections at the Coachman factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

Please note: Touring caravans are designated by the model year. The model year runs from the 1st September to the 31st August.