



Quality

Redefined

lity

2018 Service, Warranty and Technical Data Manual



You are now the owner of a quality touring caravan; whether you are a new or experienced caravanner, we hope you will have many years of pleasure in joining the ever growing band of people who choose to spend their leisure time in a Coachman caravan.

In addition to this booklet, which covers the service, warranty and technical detail requirements of your caravan, you will also find in the pack of information provided the Coachman Caravan Company Limited Handbook, which together with special equipment leaflets, will provide you with the operational information you require to operate your caravan.

All Coachman caravans have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice specifically relating to health and safety issues. Approval processes cover the testing and inspection of critical areas of the product from fire, safety, weights and dimensions to gas, electrics and ventilation. Every Coachman caravan carries the National Caravan Council approved caravan badge. The National Caravan Council also conducts unannounced inspections at the Coachman factory to ensure the continued compliance of NCC approval, which gives you peace of mind that your caravan is legal and safe.

Additionally, we believe that comprehensive and efficient aftercare support is vital in today's market. To reflect this and the confidence we have in our products, every caravan produced by Coachman Caravan Company Limited comes complete with a three year manufacturer's warranty.

This warranty is conditional on annual servicing being carried out as detailed in the following pages. This warranty is designed to reaffirm our commitment to you. May you never have to use it but the peace of mind it gives will enable you to enjoy your leisure time even more.

Your supplying dealer is responsible for carrying out a thorough pre-delivery inspection on your caravan and also arranging for any warranty work or routine servicing which may be required. Authorised dealers will be able to supply any replacement parts for your caravan should the need arise along with any accessories you may require. Please note it is not possible to purchase or obtain replacement parts or accessories from Coachman Caravan Company Limited, they must be supplied by your dealer.

To activate your warranty, the registration form opposite must be completed at the dealership when you collect your new caravan and returned to Coachman Caravan Company Limited Aftercare Operations.

It should be noted that distributors and dealers are not the agents of Coachman Caravan Company Limited and therefore, are not authorised to bind the company by any specific or implied undertaking or representation.

WARRANTY

REPAIRS

We at Coachman, together with our suppliers, are continually undertaking extensive research into, and testing of repair procedures and materials such as body sealant, adhesives, gaskets and tapes. Therefore if you damage your caravan or it should require repairing for any reason, then these repairs must be carried out by an authorised dealer using Coachman genuine parts, recommended sealant and following Coachman procedures.

We sincerely hope that you never have cause to complain about your caravan. However, if things do go wrong the course of action is for you to contact your dealership and explain the difficulties you are having. We are confident they will do their utmost to resolve the problem to your satisfaction.

WARRANTY

All Coachman caravans carry a **three year manufacturer's warranty**. This warranty applies to the UK and Northern Ireland.

During the first twelve months of ownership the Coachman manufacturer's warranty will cover faults arising from manufacturing defects but not those which are the results of normal wear and tear or accidental damage caused by misuse of any component part of the caravan. Exclusions also include tyres, fuses, LED lighting and bulbs, and proprietary products which are covered by the respective manufacturers' own guarantee and service arrangements.

In years two and three the warranty will cover all original components of the caravan including permanently fitted equipment forming part of the original manufacturer's specification plus water ingress and delamination.

The specific exclusions of the Coachman Caravan Company Ltd Warranty during years two and three are bright work and all

similar finishes, tables, hinges, knobs, window catches, stays and associated fittings, adjustments, bulbs, LED lighting and electrical connections, entertainments/communications system, microwaves, chrome work and mirrors. Proprietary products which are covered by the respective manufacturers' own guarantee and service arrangements.

The caravan is not covered if: the manufacturer's identification (17 digit vehicle identification number) has been removed or defaced. The Coachman Three Year Manufacturer's Warranty also excludes the following:

- Failure due to reasons of fair wear and tear
- Damage resulting from accidents
- Misuse of any component
- Replacement of parts which have reached the end of their effective working life because of age and/or usage
- Cleaning or adjustment of any component
- Caravans used for hire or reward
- Caravans used for other than recreational purposes, i.e. for living in or business purposes
- The cost of transporting the caravan, by whatever means, to the place of repair
- Any consequential cost or loss arising
- Damage by mould
- Damage by forces of nature
- Damage by vermin

All Coachman caravan warranties have a requirement that a full annual service is carried out by a competent service centre. This service must be carried out within 90 days either side of the anniversary of the date of the purchase for interim years before the anniversary date of the 3rd year, in accordance with the National Caravan Council's recommendations as detailed in the service section of the service, warranty and technical data manual.

The dealership from which you purchased your caravan is liable for warranty repairs. Any other approved dealer/workshop may carry out work on a caravan at his own convenience and discretion but is not obliged to.

WATER INGRESS

Coachman Caravan Company Limited recognise that whilst over recent years we, together with our sealant suppliers, have made tremendous developments in sealants and bonding techniques and are extremely confident in our product resisting water ingress, it is water ingress above all other problems which remains the major worry and concern of potential and actual retail customers. Therefore, on every new Coachman caravan sold, we make a comprehensive **6 year worry free water ingress and delamination offer:**

- Water ingress between new and 6 years - Coachman Caravan Company Limited will pay the total labour costs and supply parts free of charge providing there is a full service history and the 6th service is completed before the anniversary date from the original date of purchase.

- When a customer part exchanges a Coachman caravan at a Coachman Dealership and water ingress is detected at the time of the part exchange, Coachman confirms they will pay the dealership the total of the agreed costs of the repair undertaken to rectify the water ingress, provided:

1. It is being exchanged for a new Coachman caravan
2. There is full documentary evidence that the caravan has been serviced annually
3. The caravan is less than six years old

If you purchase a Coachman caravan as a used caravan, it is possible to transfer the unexpired term of the warranty and water ingress cover for up to six years from the original date of purchase. Please see rear of the **Service Warranty, and Technical Data Manual** change of ownership form. This warranty and offer is subject to the conditions, terms and exclusions. A small charge will be made for carrying out the transfer.

Additionally for 2015 onwards for the first owner, Coachman make a 10 year worry free water ingress offer:

- Water ingress between 6 and 10 years - Coachman will pay the total labour cost and supply parts free of charge provided there is a full service history and the 3rd, 6th and 10th service were carried out before the anniversary date on the final year of this offer.

To preserve this offer your annual services in years 1- 6 have been carried out in line with the service scheduling detailed. In years 7, 8 and 9 are carried out within 90 days either side of the anniversary of the date of purchase.

SERVICING

Your caravan requires servicing at least once a year for safety, efficiency and to protect the investment you have made. Whether a caravan is used for short breaks or continuous long range touring, regular servicing is essential and will ensure continued enjoyment of your holiday home.

Your dealer will carry out your annual servicing using the latest techniques and equipment and complete the service document at the rear of this handbook as proof of regular maintenance. As with

motor vehicle service documents, not only will the proof of regular servicing enhance your caravan resale value but, in the unlikely event of any defect appearing at some later date, a properly serviced and documented caravan service history will enable your dealer to rapidly assess, and where appropriate, carry out the necessary remedial work. **Additionally, but most importantly, regular servicing is a requisite of both the Coachman Caravan Company Limited Warranty and the Coachman Caravan Company Limited Worry Free Water Ingress offers.**

The annual service offered by your dealer will include checking and adjusting as necessary.

Section (A) Chassis

1. Brakes/lights
2. Suspension
3. Axles and hubs
4. Tyres and pressures
5. Wheel bolts
6. Towing hitch and overrun device
7. Jockey wheel
8. Breakaway cable
9. Corner steadies
10. Check wheel carrier and grease sliding joints
11. Lubrication
12. Operational

Section (B) Exterior

1. Exterior panels
2. Windows
3. Rooflights
4. Entrance door/door locks
5. Wheel boxes
6. Mouldings
7. Gas bottle and locker
8. Ventilation
9. Paintwork
10. All seals, mouldings etc
11. Reflectors
12. Graphics

Section (C) Interior

1. Wall panels
2. Furniture
3. Curtains/blinds/flyscreens
4. Bedding/seating
5. Carpet
6. Doors and drawers
7. All hinges and catches
8. Ventilation
9. Hoses and sink plugs
10. Hot water system
11. Cold water system
12. Window hinges and stays
13. Cassette toilet
14. Shower
15. Shower tray
16. Central heating
17. Damp test

Section (D) Electrical

1. All interior lights/road lights
2. Water pump and switches
3. Refrigerator
4. Distribution unit
5. Charging unit
6. Junction box
7. Wiring and supports
8. Trailer connecting plugs
9. Overall tests ext. lights
10. Awning light
11. Electronic ignition (hob)
12. 12V/230V System where applicable

Section (E) Gas Installation

1. Hob burners
2. Oven
3. Heater
4. Fridge
5. Water heating
6. Fully operational
7. Leak tested

Section (F) Final

1. Road test

ANNUAL SERVICE RECORD

CARAVAN MODEL

VEHICLE IDENTIFICATION NUMBER.....

1ST SERVICE

To be completed between weeks
39 & 65 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has
been carried out in accordance with the
manufacturer's and National Caravan
Council recommendations.

2ND SERVICE

To be completed between weeks
91 & 117 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has
been carried out in accordance with the
manufacturer's and National Caravan
Council recommendations.

3RD SERVICE

To be completed between weeks
143 & 156 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has
been carried out in accordance with the
manufacturer's and National Caravan
Council recommendations.

4TH SERVICE

To be completed between weeks
195 & 221 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has
been carried out in accordance with the
manufacturer's and National Caravan
Council recommendations.

5TH SERVICE

To be completed between weeks
248 & 272 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has
been carried out in accordance with the
manufacturer's and National Caravan
Council recommendations.

6TH SERVICE

To be completed by week 312
since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has
been carried out in accordance with the
manufacturer's and National Caravan
Council recommendations.

ANNUAL SERVICE INSPECTION RECORD

7TH SERVICE

To be completed between weeks 352 & 376 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

8TH SERVICE

To be completed between weeks 404 & 428 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

9TH SERVICE

To be completed between weeks 456 & 480 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

10TH SERVICE

To be completed by week 520 since purchase.

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

11TH SERVICE

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

12TH SERVICE

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

13TH SERVICE

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

14TH SERVICE

Date:

Dealer's stamp:

I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.


15TH SERVICE

Date:

Dealer's stamp:


I/We certify that an annual service has been carried out in accordance with the manufacturer's and National Caravan Council recommendations.

2018 COACHMAN VISION CIRCUIT DIAGRAM




ANNUAL SERVICE INSPECTION RECORD

2018 COACHMAN PASTICHE CIRCUIT DIAGRAM




2018 COACHMAN VIP CIRCUIT DIAGRAM



ANNUAL SERVICE INSPECTION RECORD

2018 COACHMAN VISION/PASTICHE ROAD LIGHT CIRCUIT DIAGRAM



2018 COACHMAN VIP ROAD LIGHT CIRCUIT DIAGRAM



WARRANTY & AFTER-SALES REFERENCE CHART

MANUFACTURER ADMINISTRATING WARRANTY WITH DEALERS

Appliance/ component	Address of company providing warranty	Contact number
Caravan body, structure and furniture	Coachman Caravan Company Ltd, Amsterdam Road, Sutton Fields Industrial Estate, Hull, HU7 0XF	01482 839737
Chassis, axle & under gear hitch, traction control and wheel lock (where fitted)	AL-KO Kober Limited, South Warwickshire Business Park, Kineton Road, Southam, Warwickshire CV47 0AL	01926 818500
Entertainment system	Base Systems Limited, 87 Fylde Road, Preston PR1 2XQ	01772 886000
Alarm (where fitted)	Sargent Electrical Service Limited, Unit 39 Tokenspire Business park, Woodmansey, Beverley, HU17 OTB	01482 881655
Polypastic windows	Myriad Products Limited, Park Lane, Dove Valley Business park, Foston, South Derbyshire, DE65 5BG	01283 586060
Power centre/chargers/loom/relay/consumer unit control panels	BCA Leisure Limited, Unit H9 Premier Way, Lowfields Business Park, Elland HX5 9HF	01422 376977
Toilet, cooker, hob and refrigerator	Dometic UK Limited, Dometic House, The Brewery, Blandford Forum DT11 9LS	034462 60133
	Thetford Limited, Unit 6 Brookfield way, Wath Upon Dearne, Rotherham S63 5DL	084499 71960
Soft furnishings	Belfield Furnishings Limited, Site 3, Furnace Road, Ilkeston, DE7 5EP	011590 71700
	Leisure Furnishings Limited, Unit 4 Meadow Brookes Business Park, Meadow Lane, Long Eaton, NG10 2GD	011594 63666
Heating systems	Alde International (UK) Limited, Huxley Close, Park Farm South, Wellingborough, NN8 6AB	019336 77765
	Truma UK Limited, Park lane, Dove Valley Business Park, Foston, South Derbyshire, DE65 5BG	012835 87900
Water systems	Truma UK Limited, Park lane, Dove Valley Business Park, Foston, South Derbyshire, DE65 5BG	012835 87900
	Whale, 2 Enterprise Road, Bangor, Co. Down, Northern Ireland, BT19 7TA	028912 70531
Gas components	Whale, 2 Enterprise Road, Bangor, Co. Down, Northern Ireland, BT19 7TA	028912 70531
Tracker (where fitted)	Tracker Network UK Limited, Otter House, Cowley Business Park, High Street, Cowley, Middlesex, UB8 2AD	018954 55777
Smoke and carbon monoxide alarms	FireAngel, Vanguard Centre, Sir William Lyons Road, Coventry, CV4 7EZ	080014 12561
Solar panel and regulator (where fitted)	Solar Technology International Limited, Unit 6 Station Drive, Bredon, Tewksbury, Gloucestershire, GL20 7HH	016847 74000

The technical data information has been prepared to provide you with the dimensions, weights and sizes applicable to your caravan. It is recommended that you study the weight, size and tyre pressure information contained in this booklet to familiarise yourself with the specification of your caravan. For equipment operational information you should refer to the Coachman 2018 Handbook and the additional leaflets contained in your Owners' Information Pack.

All Coachman caravan models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set codes of practice specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions to gas, electrics and ventilation. Every Coachman caravan carries the "NCC Approved Caravan" badge. The NCC also conducts unannounced inspections at the Coachman factory to ensure continued compliance. **NCC approval gives you peace of mind that your caravan is legal and safe.**

VISION TECHNICAL SPECIFICATIONS

MODEL	450	520	545	565
Number of berths	2	3	4	4
Interior length	4625mm / 15' 2"	5295mm / 17' 4"	5800mm / 19' 0"	5750mm / 18' 10"
Shipping length	6255mm / 20' 6"	6925mm / 22' 9"	7430mm / 24' 5"	7380mm / 24' 3"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall height (including TV aerial)	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	185 R14 104	185 R14 104	185 R14 104	185 R14 104
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65
Bed sizes - mm - option 1	2 x single 1860 x 730 (6' 1" x 2' 5")	2 x single 1860 x 730 (6' 1" x 2' 5") 1 x single 1830 x 720 (6' 0" x 2' 4")	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1810 x 1370 (5' 11" x 4' 6")	2 x single 1540 x 730 (5' 1" x 2' 5") 2 x single 1890 x 730 (6' 2" x 2' 5") 1850 x 730 (6' 0" x 2' 5")
Bed sizes - mm - option 2	1 x double 2010 x 1500 (6' 7" x 4' 11")	1 x double 2010 x 1500 (6' 7" x 4' 11") 1 x single 1830 x 720 (6' 0" x 2' 4")	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1810 x 1370 (5' 11" x 4' 6")	1 x double 2010 x 1180 (6' 7" x 3' 10") 2 x single 1890 x 730 (6' 2" x 2' 5") 1850 x 730 (6' 0" x 2' 5")
MTPLM	1304kg / 25.7cwt	1411kg / 27.8cwt	1525kg / 30cwt	1512kg / 29.8cwt
Mass in running order	1181kg / 23.2cwt	1271kg / 25cwt	1370kg / 26.9cwt	1358kg / 26.7cwt
Personal payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	900cm	970cm	1020cm	1015cm
Upper MTPLM (optional weight plate upgrade)	1350kg	1500kg	1550kg	1550kg

Note: Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.

1. Imperial conversions are approximate.

2. Awning dimensions represent the shortest ground to ground awning measurements for 2018 model year Coachman caravans. We do however strongly recommend that you consult your awning supplier before making a purchase as awning manufacturers have different methods of sizing their products.

MODEL	575	580	630
Number of berths	4	5	5
Interior length	5800mm / 19' 0"	5750mm / 18' 10"	6335mm / 20' 9"
Shipping length	7430mm / 24' 5"	7380mm / 24' 3"	7965mm / 26' 2"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall height (including TV aerial)	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	185 R14 104	185 R14 104	185/70 R14 88
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	2.4 / 35
Bed sizes - mm - option 1	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1875 x 1350 (6' 2" x 4' 5")	2 x single 1740 x 730 (5' 9" x 2' 5") 1 x single 1830 x 720 (6' 0" x 2' 4") 2 x single bunks 1740 x 620 (5' 9" x 2' 0")	2 x single 1740 x 730 (5' 9" x 2' 5") 1 x single 1830 x 880 (6' 0" x 2' 10") 2 x single bunks 1870 x 620 (6' 1" x 2' 0")
Bed sizes - mm - option 2	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1875 x 1350 (6' 2" x 4' 5")	1 x double 2010 x 1380 (6' 7" x 4' 6") 1 x single 1830 x 720 (6' 0" x 2' 4") 2 x single bunks 1740 x 620 (5' 9" x 2' 0")	1 x double 2010 x 1380 (6' 7" x 4' 6") 1 x single 1830 x 880 (6' 0" x 2' 10") 2 x single bunks 1870 x 620 (6' 1" x 2' 0")
MTPLM	1498kg / 29.5cwt	1512kg / 29.8cwt	1677kg / 33cwt
Mass in running order	1343kg / 26.4cwt	1348kg / 26.5cwt	1507kg / 29.7cwt
Personal payload	155kg / 3.1cwt	164kg / 3.2cwt	170kg / 3.3cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	155kg / 3.1cwt	164kg / 3.2cwt	170kg / 3.3cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	1020cm	1015cm	1075cm
Upper MTPLM (optional weight plate upgrade)	1550kg	1550kg	1800kg

VISION DEALER SPECIALS TECHNICAL SPECIFICATIONS (BASED ON THE MODELS BELOW)

MODEL	450	520	545	565
Number of berths	2	3	4	4
Interior length	4625mm / 15' 2"	5295mm / 17' 4"	5800mm / 19' 0"	5750mm / 18' 10"
Shipping length	6255mm / 20' 6"	6925mm / 22' 9"	7430mm / 24' 5"	7380mm / 24' 3"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall height (including TV aerial)	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	185 R14 104	185 R14 104	185 R14 104	185 R14 104
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65
Bed sizes - mm - option 1	2 x single 1860 x 730 (6' 1" x 2' 5")	2 x single 1860 x 730 (6' 1" x 2' 5") 1 x single 1830 x 720 (6' 0" x 2' 4")	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1810 x 1370 (5' 11" x 4' 6")	2 x single 1540 x 730 (5' 1" x 2' 5") 2 x single 1890 x 730 (6' 2" x 2' 5") 1850 x 730 (6' 0" x 2' 5")
Bed sizes - mm - option 2	1 x double 2010 x 1500 (6' 7" x 4' 11")	1 x double 2010 x 1500 (6' 7" x 4' 11") 1 x single 1830 x 720 (6' 0" x 2' 4")	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1810 x 1370 (5' 11" x 4' 6")	1 x double 2010 x 1180 (6' 7" x 3' 10") 2 x single 1890 x 730 (6' 2" x 2' 5") 1850 x 730 (6' 0" x 2' 5")
MTPLM	1333kg / 26.2cwt	1440kg / 28.3cwt	1550kg / 30.5cwt	1541kg / 30.3cwt
Mass in running order	1210kg / 23.8cwt	1300kg / 25.6cwt	1395kg / 27.4cwt	1387kg / 27.3cwt
Personal payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	900cm	970cm	1020cm	1015cm
Upper MTPLM (optional weight plate upgrade)	1350kg	1500kg	1550kg	1550kg

Note: Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.

1. Imperial conversions are approximate.

2. Awning dimensions represent the shortest ground to ground awning measurements for 2018 model year Coachman caravans. We do however strongly recommend that you consult your awning supplier before making a purchase as awning manufacturers have different methods of sizing their products.

VISION DEALER SPECIALS TECHNICAL SPECIFICATIONS (BASED ON THE MODELS BELOW)

MODEL	575	580	630
Number of berths	4	5	5
Interior length	5800mm / 19' 0"	5750mm / 18' 10"	6335mm / 20' 9"
Shipping length	7430mm / 24' 5"	7380mm / 24' 3"	7965mm / 26' 2"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall height (including TV aerial)	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	185 R14 104	185 R14 104	185/70 R14 88
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	2.4 / 35
Bed sizes - mm - option 1	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1875 x 1350 (6' 2" x 4' 5")	2 x single 1740 x 730 (5' 9" x 2' 5") 1 x single 1830 x 720 (6' 0" x 2' 4") 2 x single bunks 1740 x 620 (5' 9" x 2' 0")	2 x single 1740 x 730 (5' 9" x 2' 5") 1 x single 1830 x 880 (6' 0" x 2' 10") 2 x single bunks 1870 x 620 (6' 1" x 2' 0")
Bed sizes - mm - option 2	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1875 x 1350 (6' 2" x 4' 5")	1 x double 2010 x 1380 (6' 7" x 4' 6") 1 x single 1830 x 720 (6' 0" x 2' 4") 2 x single bunks 1740 x 620 (5' 9" x 2' 0")	1 x double 2010 x 1380 (6' 7" x 4' 6") 1 x single 1830 x 880 (6' 0" x 2' 10") 2 x single bunks 1870 x 620 (6' 1" x 2' 0")
MTPLM	1527kg / 30.1cwt	1541kg / 30.3cwt	1709kg / 33.6cwt
Mass in running order	1372kg / 27cwt	1377kg / 27.1cwt	1539kg / 30.3cwt
Personal payload	155kg / 3.1cwt	164kg / 3.2cwt	170kg / 3.3cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	155kg / 3.1cwt	164kg / 3.2cwt	170kg / 3.3cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	1020cm	1015cm	1075cm
Upper MTPLM (optional weight plate upgrade)	1550kg	1550kg	1800kg

VISION DEALER SPECIALS TECHNICAL SPECIFICATIONS (BASED ON THE MODELS BELOW)

MODEL	450	520	545	565
Number of berths	2	3	4	4
Interior length	4625mm / 15' 2"	5295mm / 17' 4"	5800mm / 19' 0"	5750mm / 18' 10"
Shipping length	6255mm / 20' 6"	6925mm / 22' 9"	7430mm / 24' 5"	7380mm / 24' 3"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall height (including TV aerial)	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	185 R14 104	185 R14 104	185 R14 104	185 R14 104
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65
Bed sizes - mm - option 1	2 x single 1860 x 730 (6' 1" x 2' 5")	2 x single 1860 x 730 (6' 1" x 2' 5") 1 x single 1830 x 720 (6' 0" x 2' 4")	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1810 x 1370 (5' 11" x 4' 6")	2 x single 1540 x 730 (5' 1" x 2' 5") 2 x single 1890 x 730 (6' 2" x 2' 5") 1850 x 730 (6' 0" x 2' 5")
Bed sizes - mm - option 2	1 x double 2010 x 1500 (6' 7" x 4' 11")	1 x double 2010 x 1500 (6' 7" x 4' 11") 1 x single 1830 x 720 (6' 0" x 2' 4")	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1810 x 1370 (5' 11" x 4' 6")	1 x double 2010 x 1180 (6' 7" x 3' 10") 2 x single 1890 x 730 (6' 2" x 2' 5") 1850 x 730 (6' 0" x 2' 5")
MTPLM	1319kg / 26cwt	1426kg / 28.1cwt	1537kg / 30.3cwt	1527kg / 30.1cwt
Mass in running order	1196kg / 23.5cwt	1286kg / 25.3cwt	1382kg / 27.2cwt	1373kg / 27cwt
Personal payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	900cm	970cm	1020cm	1015cm
Upper MTPLM (optional weight plate upgrade)	1350kg	1500kg	1550kg	1550kg

Note: Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.

1. Imperial conversions are approximate.

2. Awning dimensions represent the shortest ground to ground awning measurements for 2018 model year Coachman caravans. We do however strongly recommend that you consult your awning supplier before making a purchase as awning manufacturers have different methods of sizing their products.

VISION DEALER SPECIALS TECHNICAL SPECIFICATIONS (BASED ON THE MODELS BELOW)

MODEL	575	580	630
Number of berths	4	5	5
Interior length	5800mm / 19' 0"	5750mm / 18' 10"	6335mm / 20' 9"
Shipping length	7430mm / 24' 5"	7380mm / 24' 3"	7965mm / 26' 2"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall height (including TV aerial)	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	185 R14 104	185 R14 104	185/70 R14 88
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	2.4 / 35
Bed sizes - mm - option 1	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1875 x 1350 (6' 2" x 4' 5")	2 x single 1740 x 730 (5' 9" x 2' 5") 1 x single 1830 x 720 (6' 0" x 2' 4") 2 x single bunks 1740 x 620 (5' 9" x 2' 0")	2 x single 1740 x 730 (5' 9" x 2' 5") 1 x single 1830 x 880 (6' 0" x 2' 10") 2 x single bunks 1870 x 620 (6' 1" x 2' 0")
Bed sizes - mm - option 2	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1875 x 1350 (6' 2" x 4' 5")	1 x double 2010 x 1380 (6' 7" x 4' 6") 1 x single 1830 x 720 (6' 0" x 2' 4") 2 x single bunks 1740 x 620 (5' 9" x 2' 0")	1 x double 2010 x 1380 (6' 7" x 4' 6") 1 x single 1830 x 880 (6' 0" x 2' 10") 2 x single bunks 1870 x 620 (6' 1" x 2' 0")
MTPLM	1513kg / 29.8cwt	1527kg / 30.1cwt	1695kg / 33.4cwt
Mass in running order	1358kg / 26.7cwt	1363kg / 26.8cwt	1525kg / 30cwt
Personal payload	155kg / 3.1cwt	164kg / 3.2cwt	170kg / 3.3cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	155kg / 3.1cwt	164kg / 3.2cwt	170kg / 3.3cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	1020cm	1015cm	1075cm
Upper MTPLM (optional weight plate upgrade)	1550kg	1550kg	1800kg

PASTICHE TECHNICAL SPECIFICATIONS

MODEL	460	520	545	565	575
Number of berths	2	3	4	4	4
Interior length	4625mm / 15' 2"	5295mm / 17' 4"	5800mm / 19' 0"	5750mm / 18' 10"	5800mm / 19' 0"
Shipping length	6255mm / 20' 6"	6925mm / 22' 9"	7430mm / 24' 5"	7380mm / 24' 3"	7430mm / 24' 5"
Overall width	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"	2260mm / 7' 5"
Overall height (including TV aerial)	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"	2600mm / 8' 6"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	185 R14 104	185 R14 104	185 R14 104	185 R14 104	185 R14 104
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65
Bed sizes - mm - option 1	2 x single 1860 x 730 (6' 1" x 2' 5")	2 x single 1860 x 730 (6' 1" x 2' 5") 1 x single 1830 x 720 (6' 0" x 2' 4")	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1810 x 1370 (5' 11" x 4' 6")	2 x single 1540 x 730 (5' 1" x 2' 5") 2 x single 1890 x 715 (6' 2" x 2' 4") 1850 x 715 (6' 0" x 2' 4")	2 x single 1540 x 730 (5' 1" x 2' 5") 1 x double 1875 x 1350 (6' 2" x 4' 5")
Bed sizes - mm - option 2	1 x double 2010 x 1500 (6' 7" x 4' 11")	1 x double 2010 x 1500 (6' 7" x 4' 11") 1 x single 1830 x 720 (6' 0" x 2' 4")	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1810 x 1370 (5' 11" x 4' 6")	1 x double 2010 x 1180 (6' 7" x 3' 10") 2 x single 1890 x 715 (6' 2" x 2' 4") 1850 x 715 (6' 0" x 2' 4")	1 x double 2010 x 1180 (6' 7" x 3' 10") 1 x double 1875 x 1350 (6' 2" x 4' 5")
MTPLM	1334kg / 26.3cwt	1445kg / 28.4cwt	1546kg / 30.4cwt	1545kg / 30.4cwt	1532kg / 30.2cwt
Mass in running order	1211kg / 23.8cwt	1305kg / 25.7cwt	1391kg / 27.4cwt	1391kg / 27.4cwt	1377kg / 27.1cwt
Personal payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt	155kg / 3.1cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	123kg / 2.4cwt	140kg / 2.8cwt	155kg / 3.1cwt	154kg / 3cwt	155kg / 3.1cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	900cm	970cm	1020cm	1015cm	1020cm
Upper MTPLM (optional weight plate upgrade)	1350kg	1500kg	1550kg	1550kg	1550kg

Note: Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.

1. Imperial conversions are approximate.

2. Awning dimensions represent the shortest ground to ground awning measurements for 2018 model year Coachman caravans. We do however strongly recommend that you consult your awning supplier before making a purchase as awning manufacturers have different methods of sizing their products.

VIP TECHNICAL SPECIFICATIONS

MODEL	460	520	545	565
Number of berths	2	3	4	4
Interior length	4750mm / 15' 7"	5420mm / 17' 9"	5800mm / 19' 0"	5740mm / 18' 10"
Shipping length	6380mm / 20' 11"	7050mm / 23' 2"	7430mm / 24' 5"	7370mm / 24' 2"
Overall width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall height (including TV aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	6.0J x 15	6.0J x 15
Tyre size	185 R14 104	185 R14 104	195/70 R15 104	195/70 R15 104
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65
Bed sizes - mm - option 1	2 x single 1845 x 725 (6' 0" x 2' 4")	2 x single 1845 x 725 (6' 0" x 2' 4") 1x single 1830 x 720 (6' 0" x 2' 4")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1815 x 1370 (5' 11" x 4' 6")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x single 1880 x 715 (6' 2" x 2' 4") 1 x single 1830 x 715 (6' 0" x 2' 4")
Bed sizes - mm - option 2	1 x double 2075 x 1720 (6' 9" x 5' 8")	1 x double 2075 x 1720 (6' 9" x 5' 8") 1 x single 1830 x 720 (6' 0" x 2' 4")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1815 x 1370 (5' 11" x 4' 6")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x single 1880 x 715 (6' 2" x 2' 4") 1 x single 1830 x 715 (6' 0" x 2' 4")
MTPLM	1439kg / 28.3cwt	1531kg / 30.1cwt	1658kg / 32.6cwt	1657kg / 32.6cwt
Mass in running order	1314kg / 25.9cwt	1389kg / 27.3cwt	1502kg / 29.6cwt	1502kg / 29.6cwt
Personal payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt	155kg / 3.1cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt	155kg / 3.1cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size	903cm	970cm	1008cm	1002cm
(approx. for reference only)				
Upper MTPLM (optional weight plate upgrade)	1500kg	1550kg	1700kg	1700kg

Note: Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.

Note: If an air conditioner is fitted, the overall height will be greater than the value specified.

- Imperial conversions are approximate.
- Awning dimensions represent the shortest ground to ground awning measurements for 2018 model year Coachman caravans. We do however strongly recommend that you consult your awning supplier before making a purchase as awning manufacturers have different methods of sizing their products.

VIP TECHNICAL SPECIFICATIONS

MODEL	575	620	650	675
Number of berths	4	3	4	4
Interior length	5800mm / 19' 0"	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"
Shipping length	7430mm / 24' 5"	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"
Overall width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall height (including TV aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	6.0J x 15	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	195/70 R15 104	185/70 R14 88	185/70 R14 88	185/70 R14 88
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	2.4 / 35	2.4 / 35	2.4 / 35
Bed sizes - mm - option 1	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1875 x 1350 (6' 2" x 4' 5")	2 x single 1845 x 725 (6' 0" x 2' 4") 1 x single 1830 x 820 (6' 0" x 2' 8")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1815 x 1370 (5' 11" x 4' 6")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1875 x 1350 (6' 2" x 4' 5")
Bed sizes - mm - option 2	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1875 x 1350 (6' 2" x 4' 5")	1 x double 2075 x 1720 (6' 9" x 5' 8") 1 x single 1830 x 820 (6' 0" x 2' 8")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1815 x 1370 (5' 11" x 4' 6")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1875 x 1350 (6' 2" x 4' 5")
MTPLM	1655kg / 32.6cwt	1800kg / 35.4cwt	1800kg / 35.4cwt	1800kg / 35.4cwt
Mass in running order	1499kg / 29.5cwt	1650kg / 32.5cwt	1640kg / 32.3cwt	1640kg / 32.3cwt
Personal payload	156kg / 3.1cwt	150kg / 3cwt	160kg / 3.1cwt	160kg / 3.1cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	156kg / 3.1cwt	150kg / 3cwt	160kg / 3.1cwt	160kg / 3.1cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size	1008cm	1054cm	1054cm	1054cm
(approx. for reference only)				
Upper MTPLM (optional weight plate upgrade)	1700kg	1900kg	1900kg	1900kg

VIP TECHNICAL SPECIFICATIONS - DEALER SPECIALS

MODEL	460	520	545	565
Number of berths	2	3	4	4
Interior length	4750mm / 15' 7"	5420mm / 17' 9"	5800mm / 19' 0"	5740mm / 18' 10"
Shipping length	6380mm / 20' 11"	7050mm / 23' 2"	7430mm / 24' 5"	7370mm / 24' 2"
Overall width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall height (including TV aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	5.5J x 14	5.5J x 14	6.0J x 15	6.0J x 15
Tyre size	185 R14 104	185 R14 104	195/70 R15 104	195/70 R15 104
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	4.5 / 65	4.5 / 65	4.5 / 65
Bed sizes - mm - option 1	2 x single 1845 x 725 (6' 0" x 2' 4")	2 x single 1845 x 725 (6' 0" x 2' 4") 1x single 1830 x 720 (6' 0" x 2' 4")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1815 x 1370 (5' 11" x 4' 6")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x single 1880 x 715 (6' 2" x 2' 4") 1 x single 1830 x 715 (6' 0" x 2' 4")
Bed sizes - mm - option 2	1 x double 2075 x 1720 (6' 9" x 5' 8")	1 x double 2075 x 1720 (6' 9" x 5' 8") 1 x single 1830 x 720 (6' 0" x 2' 4")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1815 x 1370 (5' 11" x 4' 6")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x single 1880 x 715 (6' 2" x 2' 4") 1 x single 1830 x 715 (6' 0" x 2' 4")
MTPLM	1454kg / 28.6cwt	1546kg / 30.4cwt	1678kg / 33cwt	1677kg / 33cwt
Mass in running order	1329kg / 26.2cwt	1404kg / 27.6cwt	1522kg / 30cwt	1522kg / 30cwt
Personal payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt	155kg / 3.1cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	125kg / 2.4cwt	142kg / 2.8cwt	156kg / 3.1cwt	155kg / 3.1cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size	903cm	970cm	1008cm	1002cm
(approx. for reference only)				
Upper MTPLM (optional weight plate upgrade)	1500kg	1550kg	1700kg	1700kg

Note: Please consult your dealer for terms and conditions regarding a weight plate upgrade to the upper MTPLM.

Note: If an air conditioner is fitted, the overall height will be greater than the value specified.

- Imperial conversions are approximate.
- Awning dimensions represent the shortest ground to ground awning measurements for 2018 model year Coachman caravans. We do however strongly recommend that you consult your awning supplier before making a purchase as awning manufacturers have different methods of sizing their products.

VIP TECHNICAL SPECIFICATIONS - DEALER SPECIALS

MODEL	575	620	650	675
Number of berths	4	3	4	4
Interior length	5800mm / 19' 0"	6265mm / 20' 7"	6265mm / 20' 7"	6265mm / 20' 7"
Shipping length	7430mm / 24' 5"	7895mm / 25' 11"	7895mm / 25' 11"	7895mm / 25' 11"
Overall width	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"	2310mm / 7' 7"
Overall height (including TV aerial)	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"	2650mm / 8' 8"
Maximum headroom	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"	1955mm / 6' 5"
Wheel rim	6.0J x 15	5.5J x 14	5.5J x 14	5.5J x 14
Tyre size	195/70 R15 104	185/70 R14 88	185/70 R14 88	185/70 R14 88
Tyre pressure (bar / psi at quoted MTPLM)	4.5 / 65	2.4 / 35	2.4 / 35	2.4 / 35
Bed sizes - mm - option 1	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1875 x 1350 (6' 2" x 4' 5")	2 x single 1845 x 725 (6' 0" x 2' 4") 1 x single 1830 x 820 (6' 0" x 2' 8")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1815 x 1370 (5' 11" x 4' 6")	2 x single 1505 x 725 (5' 0" x 2' 4") 1 x double 1875 x 1350 (6' 2" x 4' 5")
Bed sizes - mm - option 2	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1875 x 1350 (6' 2" x 4' 5")	1 x double 2075 x 1720 (6' 9" x 5' 8") 1 x single 1830 x 820 (6' 0" x 2' 8")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1815 x 1370 (5' 11" x 4' 6")	1 x double 2075 x 1390 (6' 9" x 4' 7") 1 x double 1875 x 1350 (6' 2" x 4' 5")
MTPLM	1675kg / 33cwt	1815kg / 35.7cwt	1820kg / 35.8cwt	1820kg / 35.8cwt
Mass in running order	1519kg / 29.9cwt	1665kg / 32.8cwt	1660kg / 32.7cwt	1660kg / 32.7cwt
Personal payload	156kg / 3.1cwt	150kg / 3cwt	160kg / 3.1cwt	160kg / 3.1cwt
Options payload	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt	0kg / 0cwt
Total / maximum user payload	156kg / 3.1cwt	150kg / 3cwt	160kg / 3.1cwt	160kg / 3.1cwt
Maximum hitch weight	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt	100kg / 1.9cwt
Awning size (approx. for reference only)	1008cm	1054cm	1054cm	1054cm
Upper MTPLM (optional weight plate upgrade)	1700kg	1900kg	1900kg	1900kg

PART No.	LIGHT	BULB
	Recessed courtesy light - VIP only	No replacement bulbs – unit to be replaced
ELIL0023	Wardrobe light Pastiche and VIP only	12V 10W G4
ELIL0067	200mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELIL0066	300mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELIL0065	400mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELIL0069	600mm LED strip light for backlit mirror 30 LED p/m – Pastiche only	No replacement bulbs – unit to be replaced
ELIL0063	800mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELIL0062	1000mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELIL0061	1300mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELIL0060	1500mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
17ELIL0003	1200mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
17ELIL0004	1400mm LED strip light 30 LED p/m - Vision and Pastiche only	No replacement bulbs – unit to be replaced
18ELIL0004	1800mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0005	1500mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0006	1300mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0007	1000mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0008	800mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0009	600mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0010	400mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0011	300mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0012	200mm LED strip light 60 LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
18ELIL0013	1200mm LED strip light 60LEDS p/m – VIP only	No replacement bulbs – unit to be replaced
17ELIL0002	LED acrylic head chrome spot light	No replacement bulbs – unit to be replaced
ELIL0047	(IP44) 24 LED shower chrome down light	No replacement bulbs – unit to be replaced
17ELIL0001	1.5W chrome down light	No replacement bulbs – unit to be replaced

EXTERNAL LIGHTS

PART No.	LIGHT	BULB
ELXL0001	Number plate light	12V 5W clear festoon bulb
ELXL0029	Awning light - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELXL0030	High level brake light - Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELXL0025	COBO oval combination lamp - fog/ reverse - Vision and Pastiche only	2 x 12V 21W clear bulb (bayonet), (P21W)
ELXL0026	COBO oval combination lamp - stop/ tail/ indicator- Vision and Pastiche only	1 x 12V 21W clear bulb (bayonet), (P21W)
		1 x 12V 21/5W clear double filament bulb (bayonet) P21W/5W
18ELXL0004	Caraluna X L/H rear cluster light -VIP only	1 x 12V tail lamp / brake light (P21/5W) twin filament
		1 x 12V indicator light (PY21W)
		1 x 12V reversing light (P21W)
		1 x 12V rear fog light (H21W)
18ELXL0005	Caraluna X R/H rear cluster light – VIP only	1 x 12V tail lamp / brake light (P21/5W) twin filament
		1 x 12V indicator light (PY21W)
		1 x 12V reversing light (P21W)
		1 x 12V rear fog light (H21W)
18ELXL0006	LED front marker light/reflex reflectors – VIP only	No replacement bulbs – unit to be replaced
ELXL0038	LED amber side marker light – Vision and Pastiche only	No replacement bulbs – unit to be replaced
ELXL0041	Red and white end outline LED marker light – Vision and Pastiche only	1 x 12V 5W clear bulb (bayonet)
ELXL0010	Compact LED front marker light –Vision and Pastiche only	No replacement bulbs – unit to be replaced
18ELXL0003	High level LED brake light - VIP only	No replacement bulbs – unit to be replaced
18ELXL0007	LED amber side marker light – VIP only	No replacement bulbs – unit to be replaced
18ELXL0009	Front high level LED contour light - VIP only	No replacement bulbs – unit to be replaced
18ELXL0008	Rear high level LED contour light - VIP only	No replacement bulbs – unit to be replaced
18ELXL0010	Awning light - VIP only	No replacement bulbs – unit to be replaced



COACHMAN

COACHMAN CARAVAN COMPANY LTD

Amsterdam Road
Sutton Fields Industrial Estate
Hull
HU7 0XF
Email: info@coachman.co.uk

www.coachman.co.uk

Coachman Caravan Company Limited reserves the right to, and does from time to time alter technical specifications, prices and model ranges as materials, model improvements and conditions demand. Therefore can accept no responsibility for discrepancies between these and subsequent models.

All Coachman models have been certified by the National Caravan Council for compliance with stringent European Standards, British Legislation and industry set Codes of Practice, specifically relating to health and safety issues. The approval process covers the testing and inspection of critical areas of the product from fire safety, weights and dimensions to gas, electrics and ventilation.

Every Coachman caravan carries the "NCC Approved Caravan" badge. The NCC also conducts unannounced inspections at the Coachman factory to ensure continued compliance. NCC Approval gives you peace of mind that your caravan is legal and safe.

Please note: Touring caravans are designated by the model year. The model year runs from the 1st september to the 31st August: for example a 2018 year model would have been despatched by the manufacturer no earlier than the 15th August, 2018.